

# Local Coverage Determination (LCD): Serum Magnesium (L36702)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

## Contractor Information

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATE(S)
Noridian Healthcare Solutions, LLC	A and B MAC	01111 - MAC A	J - E	California - Entire State
Noridian Healthcare Solutions, LLC	A and B MAC	01112 - MAC B	J - E	California - Northern
Noridian Healthcare Solutions, LLC	A and B MAC	01182 - MAC B	J - E	California - Southern
Noridian Healthcare Solutions, LLC	A and B MAC	01211 - MAC A	J - E	American Samoa Guam Hawaii Northern Mariana Islands
Noridian Healthcare Solutions, LLC	A and B MAC	01212 - MAC B	J - E	American Samoa Guam Hawaii Northern Mariana Islands
Noridian Healthcare Solutions, LLC	A and B MAC	01311 - MAC A	J - E	Nevada
Noridian Healthcare Solutions, LLC	A and B MAC	01312 - MAC B	J - E	Nevada
Noridian Healthcare Solutions, LLC	A and B MAC	01911 - MAC A	J - E	American Samoa California - Entire State Guam Hawaii Nevada Northern Mariana Islands

## LCD Information

### Document Information

LCD ID

Original Effective Date

L36702

For services performed on or after 03/13/2017

**LCD Title**

Serum Magnesium

**Revision Effective Date**

For services performed on or after 10/01/2019

**Proposed LCD in Comment Period**

N/A

**Revision Ending Date**

N/A

**Source Proposed LCD**

DL36702

**Retirement Date**

N/A

**AMA CPT / ADA CDT / AHA NUBC Copyright Statement**

CPT codes, descriptions and other data only are copyright 2019 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

**Notice Period Start Date**

01/26/2017

**Notice Period End Date**

03/12/2017

Current Dental Terminology © 2019 American Dental Association. All rights reserved.

Copyright © 2019, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the AHA copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB-04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-893-6816. Making copies or utilizing the content of the UB-04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB-04 Manual and/or codes and descriptions; and/or making any commercial use of UB-04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. To license the electronic data file of UB-04 Data Specifications, contact Tim Carlson at (312) 893-6816 or Laryssa Marshall at (312) 893-6814. You may also contact us at [ub04@healthforum.com](mailto:ub04@healthforum.com).

**CMS National Coverage Policy**

Title XVIII of the Social Security Act; Section 1862(a)(7). This section excludes routine physical examinations.

Title XVIII of the Social Security Act, Section 1862(a)(1)(A). This section allows coverage and payment for only those services that are considered to be medically reasonable and necessary for the diagnosis or treatment of illness or injury or to improve the functioning of a malformed body member.

Title XVIII of the Social Security Act; Section 1833(e). This section prohibits Medicare payment for any claim, which lacks the necessary information to process the claim.

## **Coverage Guidance**

### **Coverage Indications, Limitations, and/or Medical Necessity**

Note: Providers should seek information related to National Coverage Determinations (NCD) and other Centers for Medicare & Medicaid Services (CMS) instructions in CMS Manuals. This LCD only pertains to the contractor's discretionary coverage related to this service.

Magnesium is a mineral required by the body for the use of adenosine triphosphate (ATP) as a source of energy. It is also necessary for neuromuscular irritability and blood clotting. Magnesium deficiency produces neuromuscular disorders. It may cause weakness, tremors, tetany, and convulsions. Hypomagnesemia is associated with hypocalcemia, hypokalemia, long-term hyperalimentation, intravenous therapy, diabetes mellitus (especially during treatment of ketoacidosis); alcoholism and other types of malnutrition; malabsorption; hyperparathyroidism; dialysis; pregnancy; and hyperaldosteronism. The following are other conditions that may cause magnesium deficiencies

- Renal loss of magnesium occurs with cis-platinum therapy.
- Hypomagnesemia may also be induced by amphotericin or anti-EGFR (some monoclonal antibodies) toxicity.
- Magnesium deficiency is described with cardiac arrhythmias. There is evidence that magnesium may cause arrhythmias.

### **Indications:**

Utilization of certain cardiac drugs which cause adverse effects in the presence of low magnesium (i.e., quinidine, procainamide, and disopyramide phosphate or Norpace). Patients taking these drugs should have their magnesium checked approximately once every six months.

- Long term parenteral nutrition. Patients on long term parenteral nutrition that are otherwise asymptomatic should have their serum magnesium checked monthly.
- Malabsorption syndrome. The frequency should depend on the severity of the syndrome, but once the patient's level is stabilized, a monthly check should be adequate.
- Renal loss secondary to diuretic use.
- Chronic alcoholism, diabetic acidosis, and renal tubular acidosis. These patients should be followed on an as needed basis according to their symptomatology. Without symptoms, they should be checked no more than annually.
- Chronic diarrhea, otherwise unexplained and persistent.
- Prolonged nasogastric suction greater than five days. These patients should have a magnesium check every two to three weeks.
- Cisplatin treatment.
- Amphotericin treatment

- EGFR monoclonal antibodies
- Patients receiving IV magnesium therapy for a low serum level. Serum level should be monitored appropriately.
- Patients with hypocalcemia. If the hypocalcemia persists, the level should probably be checked on a six-month basis as long as the patient does not have symptoms of arrhythmias that would warrant closer follow up.
- Lethargy and confusion that are not otherwise explained. Once a patient has been diagnosed with mental health processes such as Alzheimer or psychotic depression, etc., there is no indication to follow their magnesium level on a regular basis.
- Patients receiving oral magnesium in the face of impaired renal function should have their magnesium level checked on a monthly basis.

Other clinical situations:

- Pre-eclampsia
- Unexplained muscular paralysis
- Neuromuscular irritability
- Blood clotting abnormalities
- Evidence (mixed) that magnesium levels are low and increased magnesium may benefit patients with sickle cell anemia, beta thalassemia and hypersplenism– more recent articles dispute this.
- Long Q-T syndrome, torsades de pointes and ventricular arrhythmias.

## Summary of Evidence

NA

## Analysis of Evidence (Rationale for Determination)

NA

---

# General Information

## Associated Information

N/A

## Sources of Information

1. Ferri: Ferri's Best Test: A Practical Guide to Clinical Laboratory Medicine and Diagnostic Imaging, 1st ed., Copyright © 2004 Mosby, Inc.
2. Goldman: Cecil Textbook of Medicine, 22nd ed., Copyright © 2004 W. B. Saunders Company
3. Stalnikowicz R - The significance of routine serum magnesium determination in the ED. - Am J Emerg Med - 01-SEP-2003; 21(5): 444-7
4. Saris NE, Mervaala E, Karppanen H, Khawaja JA, Lewenstam A. Magnesium: an update on physiological,

- clinical, and analytical aspects. Clinica Chimica Acta 2000;294:1-26
5. Ramsay LE, Yeo WW, Jackson PR. Metabolic effects of diuretics. Cardiology 1994;84 Suppl 2:48-56
  6. Lajer H and Daugaard G. Cisplatin and hypomagnesemia. Ca Treat Rev 1999;25:47-58
  7. Tosiello L. Hypomagnesemia and diabetes mellitus. A review of clinical implications. Arch Intern Med 1996;156:1143-8
  8. Paolisso G, Scheen A, D'Onofrio F, Lefebvre P. Magnesium and glucose homeostasis. Diabetologia 1990;33:511-4
  9. Svetkey LP, Simons-Morton D, Vollmer WM, Appel LJ, Conlin PR, Ryan DH, Ard J, Kennedy BM. Effects of dietary patterns on blood pressure: Subgroup analysis of the Dietary Approaches to Stop Hypertension (DASH) randomized clinical trial. Arch Intern Med 1999;159:285-93
  10. Peacock JM, Folsom AR, Arnett DK, Eckfeldt JH, Szklo M. Relationship of serum and dietary magnesium to incident hypertension: the Atherosclerosis Risk in Communities (ARIC) Study. Annals of Epidemiology 1999;9:159-65
  11. National Heart, Lung, and Blood Institute. Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. The sixth report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. Arch Intern Med 1997;157:2413-46
  12. Schwartz GL and Sheps SG. A review of the sixth report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. Curr Opin Cardiol 1999;14:161-8
  13. Kaplan NM. Treatment of hypertension: Insights from the JNC-VI report. Am Fam Physician 1998;58:1323-30
  14. American Diabetes Association. Nutrition recommendations and principles for people with diabetes mellitus. Diabetes Care 1999;22:542-5,
  15. Other carriers' policies
  16. Noridian Carrier Advisory Committee members

## Bibliography

NA

# Revision History Information

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASON(S) FOR CHANGE
10/01/2019	R4	<p>The LCD is revised to remove CPT/HCPCS codes in the Keyword Section of the LCD.</p> <p>At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage determination; and, therefore not all the fields included on the LCD are applicable as noted in this policy.</p>	<ul style="list-style-type: none"> <li>Other (The LCD is revised to remove CPT/HCPCS codes in the Keyword Section of the LCD. )</li> </ul>
10/01/2019	R3	<p>10/01/2019: At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage determination; and, therefore</p>	<ul style="list-style-type: none"> <li>Revisions Due To Code Removal</li> </ul>

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASON(S) FOR CHANGE
		<p>not all the fields included on the LCD are applicable as noted in this policy.</p> <p>Update to revision number 2: Added ICD-10 code R15.11 is a typo. The correct code is R11.15.</p>	
10/01/2019	R2	<p>Effective 10/1/2019. Added and deleted the following ICD-10 codes per the 2019/2020 annual ICD-10-CM updates.</p> <p>Added:</p> <ul style="list-style-type: none"> <li>• I26.93 Single subsegmental pulmonary embolism without acute cor pulmonale</li> <li>• I26.94 Multiple subsegmental pulmonary emboli without acute cor pulmonale</li> <li>• I48.11 Longstanding persistent atrial fibrillation</li> <li>• I48.19 Other persistent atrial fibrillation</li> <li>• I48.20 Chronic atrial fibrillation, unspecified</li> <li>• I48.21 Permanent atrial fibrillation</li> <li>• R15.11 Cyclical vomiting syndrome unrelated to migraine</li> </ul> <p>Deleted:</p> <ul style="list-style-type: none"> <li>• I48.1 Persistent atrial</li> <li>• I48.2 Chronic atrial fibrillation</li> </ul> <p>09/16/19: At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage determination; and, therefore not all the fields included on the LCD are applicable as noted in this policy.</p>	<ul style="list-style-type: none"> <li>• Creation of Uniform LCDs Within a MAC Jurisdiction</li> <li>• Revisions Due To ICD-10-CM Code Changes</li> </ul>
10/01/2017	R1	<p>08/24/2017: At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage determination; and, therefore not all the fields included on the LCD are applicable as noted in this policy.</p> <p>Effective DOS 10/01/2017 the following ICD-10-CM codes</p>	<ul style="list-style-type: none"> <li>• Revisions Due To ICD-10-CM Code Changes</li> </ul>

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASON(S) FOR CHANGE
		<p>were added and deleted:</p> <p>Add:</p> <ul style="list-style-type: none"> <li>• K56.50</li> <li>• K56.51</li> <li>• K56.52</li> </ul> <p>The following ICD-10 codes were deleted from the ICD-10 Codes that Support Medical Necessity field: K56.5 was deleted from Group 1</p>	

## Associated Documents

### Attachments

N/A

### Related Local Coverage Documents

Article(s)

A57189 - Billing and Coding: Serum Magnesium

A55361 - Response to Comments: Serum Magnesium

LCD(s)

DL36702

- (MCD Archive Site)

### Related National Coverage Documents

N/A

### Public Version(s)

Updated on 01/29/2020 with effective dates 10/01/2019 - N/A

Updated on 09/20/2019 with effective dates 10/01/2019 - N/A

Updated on 08/31/2017 with effective dates 10/01/2017 - 09/30/2019

Updated on 01/11/2017 with effective dates 03/13/2017 - N/A

## Keywords

- Serum
- Magnesium
- Mag
- MG++